

SERIAL-PROFIBUS-INTERFACE | SPI 3

Doc. Version 2.1

for fieldbus devices with serial interface

ASCII | 3964R | RK512

Overview of SPI 3 Module Application

Glossary

SERIAL-PROFIBUS-INTERFACE | SPI 3

Doc. Version 2.1

for fieldbus devices with serial interface

ASCII | 3964R | RK512

SPI 3 – SIMATIC S5

SPI 3 – SIMATIC S7

SPI 3 – Other Controls

Contents Online Documentation

SERIAL-PROFIBUS-INTERFACE | SPI 3

Doc. Version 2.1

for fieldbus devices with serial interface

ASCII | 3964R | RK512

SPI 3 – SIMATIC S7
(FBs 104, 105 and 106 – SPI 3 Release 12 and higher)

SPI 3 – SIMATIC S7
(FBs 100, 101 and 103 – up to SPI 3 Release 11)

Contents Online Documentation

SERIAL-PROFIBUS-INTERFACE | SPI 3

Doc. Version 2.1

for fieldbus devices with serial interface

ASCII | 3964R | RK512

**SPI 3 – Controls other than SIMATIC S5/S7
(SPI 3 Release 12 and higher)**

**SPI 3 – Controls other than SIMATIC S5/S7
(up to SPI 3 Release 11)**

Contents Online Documentation

Dear customer,

This online documentation is designed to help you with engineering, connecting up, configuration and parameter setting of the SPI 3. Please feel free to contact our Technical Support department if you need further help:

Trebing & Himstedt Prozessautomation GmbH & Co. KG
Technical Support Dept.
Wilhelm-Hennemann-Str. 13
19061 Schwerin, Germany

Telephone: +49 385 39572-500

Telefax: +49 385 39572-22

e-mail: support@t-h.de

homepage: <http://www.t-h.de>

The information in this online documentation is the property of Trebing & Himstedt Prozessautomation GmbH & Co. KG. This online documentation or extracts thereof may only be duplicated or passed on to third parties following explicit written approval from Trebing & Himstedt Prozessautomation GmbH & Co. KG. The right is reserved to make changes to this online documentation and to the SPI 3 device at any time without prior notification.

All product names used in this manual are trademarks or otherwise protected by law, even if this is not specifically mentioned.

